

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

· **1.1 Product identifier**

· **Trade name:** JUBOSAN W130

· **Article number:** JOM ver. 15

· **1.2 Relevant identified uses of the substance or mixture and uses advised against**

·

Cement product JUBOSAN W130, JOM.

· **Product category** JUBOSAN W130 is a cement product - renovation render WTA.

· **Application of the substance / the mixture**

JUBOSAN W130 has the function of a renovation render, it is industrially prepared mortar compound based on cement, organic supplements and special mineral fillers.

JUBOSAN W130 renovation render is a dry mortar compound based on cement; it is intended for the manufacture of new renders on damp walls. In combination with JUBOSAN W110 renovation precoat, it forms the 2k system for the reparation of damp walls. In combination with JUBOSAN W110 and W120, it forms the 3K WTA system for the renovation of damp walls.

· **1.3 Details of the supplier of the safety data sheet**

· **Manufacturer/Supplier:**

JUB d.o.o.

Dol pri Ljubljani 28

1262 DOL PRI LJUBLJANI

SLOVENIA

T: + 386 1 5884 183

F: + 386 1 5884 250

E: info@jub.si

· **Further information obtainable from:**

Product safety department:

TRC JUB d.o.o.

Branko Petrovic, MSc

T: +386 1 5884 185

F: +386 1 5884 227

E: branko.petrovic@trc-jub.si

· **1.4 Emergency telephone number:**

During normal opening times (8 - 16h CET) Group JUB: +386 1 5884 185

Emergency number: 112

United Kindom: NPIS 0870 600 6266

## SECTION 2: Hazards identification

· **2.1 Classification of the substance or mixture**

In accordance with Regulations on the classification of chemicals (Rules on classification and mainly directives EU 1967/548/EEC and 1999/45/EC, neither bound by the Regulation CLP 2008/1272/EC), the product is classified as a hazardous compound since it contains lime and cement.

· **Classification according to Regulation (EC) No 1272/2008**



GHS05 corrosion

Eye Dam. 1 H318 Causes serious eye damage.



GHS07

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 06.10.2015

Revision: 27.02.2014


**Trade name: JUBOSAN WI30**

(Contd. of page 1)


*Skin Irrit. 2 H315 Causes skin irritation.**Skin Sens. 1 H317 May cause an allergic skin reaction.**STOT SE 3 H335 May cause respiratory irritation.*


---

· **Classification according to Directive 67/548/EEC or Directive 1999/45/EC**

 Xi; Irritant

R37/38-41: Irritating to respiratory system and skin. Risk of serious damage to eyes.

 Xi; Sensitising

R43: May cause sensitisation by skin contact.

· **Information concerning particular hazards for human and environment:**

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

· **Classification system:**

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

---

· **2.2 Label elements**

· **Labelling according to Regulation (EC) No 1272/2008**

The product is classified and labelled according to the CLP regulation.

· **Hazard pictograms**



GHS05 GHS07

· **Signal word Danger**

· **Hazard-determining components of labelling:**

Cement, portland, chemicals  
calcium dihydroxide

· **Hazard statements**

H315 Causes skin irritation.

H318 Causes serious eye damage.

H317 May cause an allergic skin reaction.

H335 May cause respiratory irritation.

· **Precautionary statements**

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read label before use.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P321 Specific treatment (see on this label).

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Additional information:**

Safety data sheet available on request.

· **2.3 Other hazards**

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

GB

(Contd. on page 3)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 06.10.2015

Revision: 27.02.2014

Trade name: JUBOSAN W130

(Contd. of page 2)

### SECTION 3: Composition/information on ingredients

· **3.2 Chemical characterisation: Mixtures**

Main ingredients of JUBOSAN W130 are cement, lime, calcite- and silicate sands and supplements.

· **Description:** Mixture of substances listed below with nonhazardous additions.

· **Dangerous components:**

|                                      |   |              |
|--------------------------------------|---|--------------|
| CAS: 65997-15-1<br>EINECS: 266-043-4 | Cement, portland, chemicals<br>☒ Xi R37/38-41; ☒ Xi R43<br>☞ Eye Dam. 1, H318; ☠ Skin Irrit. 2, H315; Skin Sens. 1, H317; STOT SE 3, H335 | 40.0 - 50.0% |
| CAS: 1305-62-0<br>EINECS: 215-137-3  | calcium dihydroxide<br>☒ Xi R38-41<br>☞ Eye Dam. 1, H318; ☠ Skin Irrit. 2, H315; STOT SE 3, H335  | < 5.0%       |

· **Additional information:**

For the wording of the listed risk phrases refer to section 16.

### SECTION 4: First aid measures

· **4.1 Description of first aid measures**

· **After inhalation:**

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

· **After skin contact:** Immediately wash with water and soap and rinse thoroughly.

· **After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.

· **After swallowing:** If symptoms persist consult doctor.

· **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.

· **4.3 Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

### SECTION 5: Firefighting measures

· **5.1 Extinguishing media**

· **Suitable extinguishing agents:**

CO<sub>2</sub>, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

· **5.2 Special hazards arising from the substance or mixture**

During heating or in case of fire poisonous gases are produced.

· **5.3 Advice for firefighters**

· **Protective equipment:** Mouth respiratory protective device.

### SECTION 6: Accidental release measures

· **6.1 Personal precautions, protective equipment and emergency procedures**

Mount respiratory protective device.

· **6.2 Environmental precautions:** Do not allow to enter sewers/ surface or ground water.

· **6.3 Methods and material for containment and cleaning up:** Ensure adequate ventilation.

· **6.4 Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

GB

(Contd. on page 4)

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 06.10.2015

Revision: 27.02.2014

Trade name: JUBOSAN W130

(Contd. of page 3)

### SECTION 7: Handling and storage

- **7.1 Precautions for safe handling** No special precautions are necessary if used correctly.
- **Information about fire - and explosion protection:** Keep respiratory protective device available.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** Prevent any seepage into the ground.
- **Information about storage in one common storage facility:**  
Do not store together with reducing agents, heavy-metal compounds, acids and alkalis.
- **Further information about storage conditions:** Keep container tightly sealed.
- **Storage class:** Storage class: 13 - Incombustible solid products
- **7.3 Specific end use(s)** No further relevant information available.

### SECTION 8: Exposure controls/personal protection

- **Additional information about design of technical facilities:** No further data; see item 7.

#### 8.1 Control parameters

- **Ingredients with limit values that require monitoring at the workplace:**

|   |  |
|---|--|
| <b>65997-15-1 Cement, portland, chemicals</b> |  |
| WEL   | Long-term value: 10* 4** mg/m <sup>3</sup> |
|   | *inhalable dust **respirable dust          |
| <b>1305-62-0 calcium dihydroxide</b>          |  |
| WEL   | Long-term value: 5 mg/m <sup>3</sup>       |

- **Additional information:** The lists valid during the making were used as basis.

#### 8.2 Exposure controls

##### Personal protective equipment:

##### General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the skin.

Avoid contact with the eyes and skin.

##### Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

##### Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

##### Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

##### Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 5)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 06.10.2015

Revision: 27.02.2014

**Trade name: JUBOSAN W130**

(Contd. of page 4)

**· Eye protection:**

Tightly sealed goggles

**· Risk management measures**

It is recommended to use high-quality work clothing and protective equipment. Use only outfits that meet the following standards:

- Protective gloves that meet the criteria of BS EN 388 (Category II).
- Protective goggles must comply with standard BS EN 166
- Protective mask respirator for small dust particles must conform to standard BS EN 149.

### SECTION 9: Physical and chemical properties

**· 9.1 Information on basic physical and chemical properties****· General Information****· Appearance:**

|                           |                 |
|---------------------------|-----------------|
| <b>Form:</b>              | Powder          |
| <b>Colour:</b>            | White           |
| <b>· Odour:</b>           | Odourless       |
| <b>· Odour threshold:</b> | Not determined. |

**· pH-value at 20 °C:** 11

**· Change in condition**

|                                     |               |
|-------------------------------------|---------------|
| <b>Melting point/Melting range:</b> | Undetermined. |
| <b>Boiling point/Boiling range:</b> | Undetermined. |

**· Flash point:** Not applicable.

**· Flammability (solid, gaseous):** Not determined.

**· Ignition temperature:**

**Decomposition temperature:** Not determined.

**· Self-igniting:** Product is not selfigniting.

**· Danger of explosion:** Product does not present an explosion hazard.

**· Explosion limits:**

|               |                 |
|---------------|-----------------|
| <b>Lower:</b> | Not determined. |
| <b>Upper:</b> | Not determined. |

**· Vapour pressure:** Not applicable.

|                            |                       |
|----------------------------|-----------------------|
| <b>· Density at 20 °C:</b> | 0.7 g/cm <sup>3</sup> |
| <b>· Relative density</b>  | Not determined.       |
| <b>· Vapour density</b>    | Not applicable.       |
| <b>· Evaporation rate</b>  | Not applicable.       |

**· Solubility in / Miscibility with water:** Insoluble.

**· Partition coefficient (n-octanol/water):** Not determined.

**· Viscosity:**

|                   |                 |
|-------------------|-----------------|
| <b>Dynamic:</b>   | Not applicable. |
| <b>Kinematic:</b> | Not applicable. |

(Contd. on page 6)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 06.10.2015

Revision: 27.02.2014

**Trade name: JUBOSAN W130**

(Contd. of page 5)

|                                |  |
|--------------------------------|--|
| <b>· Solvent content:</b>      |  |
| <b>Organic solvents:</b>       | 0.0 %  |
| <b>VOC (EC)</b>                | 0.00 %   |
|                                | VOC content: not specified<br>(the product is not subject to the Directive 2004/42/CE) |
| <b>Solids content:</b>         | 100.0 %  |
| <b>· 9.2 Other information</b> | No further relevant information available.   |

### SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known.

### SECTION 11: Toxicological information

- **11.1 Information on toxicological effects**
- **Acute toxicity**
- **LD/LC50 values relevant for classification:**
- oral. > 2000 mg/kg (rat)
- dermal. > 2000 mg/kg (rat)
- inhal. > 2 mg/kg, 4h (rat)

#### 1305-62-0 calcium dihydroxide

|      |      |                  |
|------|------|------------------|
| Oral | LD50 | 7340 mg/kg (rat) |
|------|------|------------------|

- **Primary irritant effect:**
- **Skin corrosion/irritation**  
Causes skin irritation.
- **Serious eye damage/irritation**  
Causes serious eye damage.
- **Respiratory or skin sensitisation**  
May cause an allergic skin reaction.
- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure**  
May cause respiratory irritation.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.

### SECTION 12: Ecological information

- **12.1 Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.

(Contd. on page 7)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 06.10.2015

Revision: 27.02.2014

Trade name: JUBOSAN W130

(Contd. of page 6)

- **Additional ecological information:**
- **General notes:**  
Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water  
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Other adverse effects** No further relevant information available.

### SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation**  
Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- **European waste catalogue**

|          |  |
|----------|--|
| 17 09 04 | mixed construction and demolition wastes other than those mentioned in 17 09 01, 17 09 02 and 17 09 03 |
| 15 01 01 | paper and cardboard packaging  |

- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.

### SECTION 14: Transport information

- |  |   |
|--|---|
| · <b>14.1 UN-Number</b>  | JUBOSAN W130 is not classified as a substance or compound which would be dangerous for transport in accordance with provisions of transport regulation. |
| · <b>ADR, ADN, IMDG, IATA</b>  | Void  |
| · <b>14.2 UN proper shipping name</b>  | Void  |
| · <b>ADR, ADN, IMDG, IATA</b>  | Void  |
| · <b>14.3 Transport hazard class(es)</b>   | Void  |
| · <b>ADR, ADN, IMDG, IATA</b>  | Void  |
| · <b>Class</b>   | Void  |
| · <b>14.4 Packing group</b>  | Void  |
| · <b>ADR, IMDG, IATA</b>   | Void  |
| · <b>14.5 Environmental hazards:</b>   | No  |
| · <b>Marine pollutant:</b>   | No  |
| · <b>14.6 Special precautions for user</b>                                       | Not applicable.   |
| · <b>14.7 Transport in bulk according to Annex II of Marpol and the IBC Code</b> | Not applicable.   |
| · <b>Transport/Additional information:</b>                                       |   |
| · <b>ADR</b>   | -   |
| · <b>Limited quantities (LQ)</b>   | -   |
| · <b>UN "Model Regulation":</b>  | Void  |

GB

(Contd. on page 8)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 06.10.2015

Revision: 27.02.2014

Trade name: JUBOSAN W130

(Contd. of page 7)

### SECTION 15: Regulatory information

· **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

In the preparation of the document, the following regulations have been taken account of: legislation on health protection at work, chemical legislation and regulation on biocidal products, rules on classification, packaging and labelling chemical and biocidal products and on safety data sheets for chemicals and biocidal products, as well as regulations on the management of packaging, packaging waste and waste.

In accordance with the current chemical legislation, the product is classified as a hazardous substance or compound because it contains cement. When working with and handling the product, only general precautionary measures need to be followed.

Respiratory protection with a protective mask and eye protection with protective glasses or a face shield is necessary when the compound is applied manually or in the case of machine polishing of the applied compound.

· **Labelling according to Regulation (EC) No 1272/2008 -**

· **Chemical safety assessment -**

· **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Relevant phrases**

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H335 May cause respiratory irritation.

R37/38 Irritating to respiratory system and skin.

R38 Irritating to skin.

R41 Risk of serious damage to eyes.

R43 May cause sensitisation by skin contact.

· **Recommended restriction of use**

Claims contained in this document are based on our actual knowledge at the time of revision of this document. They do not undertake the properties of the product described in terms of the legal provisions for the pledge.

Placing this document as available does not unbind the product customer from its responsibility to comply with all relevant laws and regulations applicable for this product. This is especially valid in the case of product resale or resale of its mixtures or manufactured products from other areas of law and industrial property rights of third parties. If the product described above is changed by crafting or mixing with other materials, it is not possible to transfer claims from this document onto a newly made product, unless otherwise specified. In the case of product re-packaging the customer must attach the required relevant safety information as well.

· **Department issuing MSDS:** Product safety department

· **Contact:**

mag. Branko Petrovič

TRC-JUB d.o.o

branko.petrovic@trc-jub.si

· **Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

(Contd. on page 9)



**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 06.10.2015

Revision: 27.02.2014

**Trade name: JUBOSAN W130**

(Contd. of page 8)

*PBT: Persistent, Bioaccumulative and Toxic**vPvB: very Persistent and very Bioaccumulative**Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2**Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1**Skin Sens. 1: Sensitisation - Skin, Hazard Category 1**STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3***\* Data compared to the previous version altered.***Version 1.0, 10.07.2013.**Version 2.0, 9.06.2015; Amending Chapter: 2., 3., 8., 11., 15., 16.*

GB